Mississippi Behavioral Risk Factor Surveillance System Trend Report, 1994-2003

 \underline{Note} : Unless otherwise indicated the denominator is the total sample population except that all respondents answering "unknown" or who refused to answer a question are excluded from the denominator.

Indicator	Rates	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
Health status											
Deposit that consult health is fair an user	Actual	22.1	21.4	21.1	21.9	21.0	20.9	20.2	23.0	25.2	23.1
Report that general health is fair or poor	Age Adjusted	20.5	21.8	21.2	22.1	21.1	20.9	20.3	23.1	24.8	23.2
Report that physical health was not good	Actual	9.9	11.2	11.6	11.4	14.1	13.1	12.6	15.8		15.3
for more than 7 days during past 30 days	Age Adjusted	10.4	11.5	11.9	11.6	14.3	13.4	13.0	16.1		15.6
Report that mental health was not	Actual	10.2	9.6	9.4	9.4	12.1	13.2	14.1	13.7		15.9
good for more than 7 days during past 30 days	Age Adjusted	10.2	9.6	9.6	9.6	11.7	13.2	13.3	13.8		15.9
Report poor physical/mental health prevented	Actual	4.7	7.8	6.9	5.5	7.4	8.3	7.9	9.5		10.1
usual activities for more than 7 days in past 30 days (Denominator: Total Sample)	Age Adjusted	4.9	7.9	6.9	5.5	7.5	8.1	8.0	9.6		10.2
Report poor physical/mental health prevented usual activities for more than 7 days in past 30	Actual	11.1	19.8	18.5	13.8	16.7	17.3	17.0	20.3		19.1
days (Denominator: Excludes those with zero days of poor physical/mental health)	Age Adjusted	12.0	20.4	18.9	14.3	14.2	17.9	18.1	20.9		19.6
Cigarette smoking											
Domant that are assument airconatte annulrana	Actual	22.2	24.1	23.2	23.1	24.2	23.4	23.5	25.4	27.4	25.6
Report they are current cigarette smokers	Age Adjusted	22.6	24.4	23.3	23.5	24.5	23.4	23.6	25.4	27.2	25.7
III.l. a.l. a.l. danatha antan	Actual	26.8	34.5	29.8	29.5	30.1	30.3	32.2	31.2	36.3	34.7
High school education or less	Age Adjusted	36.5	41.5	37.3	36.7	36.2	37.1	37.1	35.8	41.2	38.9
DI. d.	Actual	18.7	22.4	21.0	17.7	21.2	18.3	18.3	20.3	24.7	22.2
Blacks	Age Adjusted	20.1	23.9	20.7	19.3	22.1	17.9	18.8	19.8	24.3	22.1

Indicator	Rates	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
	Actual	21.4	20.6	21.1	21.3	21.9	20.6	20.5	20.9	20.0	20.7
Report that they are former cigarette smokers	Age Adjusted	22.0	20.9	21.6	21.7	22.1	20.0	20.8	21.2	20.2	20.7
Daily smokers who report that they have quit	Actual	46.2	43.9	49.8	51.2	51.0	54.6	46.7	51.5	53.9	51.7
smoking for 1 day or more in the past 12 months	Age Adjusted	40.7	43.2	47.6	50.4	52.1	54.7	47.0	49.9	52.0	50.2
Quit ratio (Ever smokers who are former	Actual	49.0	46.1	47.6	47.9	47.5	46.9	46.5	45.1	42.2	44.6
smokers)	Age Adjusted	48.0	45.2	46.8	46.1	46.3	44.5	46.1	44.3	42.0	43.2
Alcohol use during the past month											
Depart and (hines) dividing	Actual		8.8		9.6		10.9		11.7	12.4	11.4
Report acute (binge) drinking	Age Adjusted		8.5		9.4		11.5		11.5	12.3	11.3
D (1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Actual		2.7		2.5		3.3		4.5	4.6	4.7
Report chronic drinking	Age Adjusted		2.8		2.4		3.5		4.4	4.6	4.7
Physical activity/exercise											
Depart no aborical activity in the west 20 days	Actual	38.5		39.6		33.8		33.4	33.4		30.4
Report no physical activity in the past 30 days	Age Adjusted	39.1		39.7		34.1		33.6	33.6		30.4
65+ year olds (No age adjustment)	Actual	51.1		49.2		40.2		43.1	42.1		40.8
L	Actual	47.0		49.0		44.0		42.3	45.3		44.6
Income less than \$20,000	Age Adjusted	47.6		48.0		45.0		43.7	46.1		44.4
Report that they meet do not moderate physical	Actual								61.7		71.0
activity recommendations	Age Adjusted								62.4		70.1
Report that they do not meet vigorous physical	Actual								81.4		79.7
activity recommendations	Age Adjusted								81.7		80.0

Indicator	Rates	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
Report that they do not meet recommendations	Actual								61.7		59.7
for physical activity	Age Adjusted								62.4		60.0
In a constant of \$20,000	Actual								70.5		70.2
Income less that \$20,000	Age Adjusted								71.8		68.9
Report using physical activity/exercise to lose weight or maintain weight	Actual	34.4		31.2		39.5		40.7			46.3
Denominator: Total Sample	Age Adjusted	34.3		31.3		39.5		40.6			46.4
Report using physical activity/exercise to lose or maintain weight. (Denominator: Those	Actual	57.8		42.0		52.4		54.6			62.5
trying to lose or maintain weight)	Age Adjusted	56.0		41.7		52.3		54.2			62.2
Body weight and weight control											
Description of the control of the CDML (25.0)	Actual	53.8	54.7	54.5	57.9	59.1	62.3	61.8	61.1	63.1	62.3
Respondents who are overweight (BMI ≥25.0)	Age Adjusted	54.6	55.3	55.4	58.2	59.8	62.0	62.1	61.5	63.6	62.9
Degrandants who are chase (DML 20)	Actual	19.7	19.6	19.8	22.0	22.9	23.4	25.0	25.4	26.8	27.0
Respondents who are obese (BMI ≥30)	Age Adjusted	20.5	19.8	20.2	22.2	23.1	23.2	25.3	25.7	27.0	27.3
Report they are dieting to lose or maintain	Actual	54.9		52.4		54.5		55.6			51.5
weight (Denominator : Total Sample)	Age Adjusted	55.7		52.8		55.0		55.8			51.9
Report they are dieting to lose or maintain	Actual	72.3		71.3		71.5		74.1			69.9
weight (Denominator : Those trying to lose or maintain weight)	Age Adjusted	72.3		70.2		71.7		74.3			70.0
Report using physical activity/exercise to lose	Actual	34.4		31.2		39.5		40.7			46.3
or maintain weight. (Denominator: Total sample)	Age Adjusted	34.4		31.3		39.5		40.6			46.4
Report using physical activity/exercise to lose	Actual	45.2		42.0		52.4		54.6			62.5
or maintain weight. (Denominator: Those trying to lose or maintain weight)	Age Adjusted	45.0		41.7		52.3		54.2			62.2

Indicator	Rates	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
At risk of developing diabetes											
Those at risk of developing type 2 diabetes	Actual	22.6		24.1		24.4		26.1	24.3	24.5	23.8
because of weight or lack of exercise	Age Adjusted	24.5		25.5		25.3		26.8	24.7	24.4	23.8
Diet/Nutrition											
Report that they eat fruits/vegetables	Actual	13.9		18.2		15.6		18.5		19.1	17.8
5 or more times per day	Age Adjusted	14.2		18.1		15.6		18.5		19.1	17.7
Cholesterol awareness	_										
Report that they have ever	Actual		62.0		66.5		72.9		73.8		74.1
had a blood cholesterol test	Age Adjusted		62.9		67.2		71.4		74.2		74.4
Those tested who have had blood	Actual		43.6		46.0		49.0		51.8		52.1
cholesterol checked within the past year	Age Adjusted		44.3		46.5		47.9		52.0		52.3
Report blood cholesterol checked	Actual		53.5		55.1		60.9		62.4		61.7
within the past 2 years	Age Adjusted		54.3		55.6		59.7		62.7		62.0
Report blood cholesterol	Actual		58.3		62.5		67.0		69.2		68.0
checked within the past 5 years	Age Adjusted		59.1		63.2		65.7		68.6		68.6
Report being told by a health professional	Actual		15.8		19.2		22.5		22.8		24.5
that they have high blood cholesterol	Age Adjusted		16.2		19.6		22.4		23.0		24.6
Diabetes		_									
Report being told by a doctor	Actual	5.7	6.3	6.1	6.1	7.7	8.3	7.6	9.3	8.6	11.0
that they have diabetes	Age Adjusted	5.9	6.4	6.2	6.3	7.7	8.0	7.7	9.3	8.7	11.0
Those with diabetes who have had two or more	Actual			74.4	74.7	75.7		80.7			
visits to a health professional for diabetes in the past year	Age Adjusted			59.9	72.2	68.6		79.6			

Indicator	Rates	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	
Those with diabetes who have had at least four	Actual			59.1	56.5	46.8		51.0				
visits to a health professional for their diabetes in past year	Age Adjusted			48.5	51.0	43.1		49.8				
Those with diabetes who have had two or more	Actual			29.3	43.5	38.4		38.6				
foot exams by a health professional in past year	Age Adjusted			23.3	49.3	32.4		38.4				
Those with diabetes who have had at least four	Actual			23.3	29.9	24.8		19.7				
foot exams by a health professional in past year	Age Adjusted			18.3	24.5	19.6		21.4				
Those with diabetes who have had	Actual			55.4	50.2	54.8		56.5				
a dilated eye exam within the past year	Age Adjusted			45.6	45.3	53.3		47.6				
Those with diabetes who have had	Actual			69.6	70.3	68.1		66.3				
a dilated eye exam within the past 2 years	Age Adjusted			54.0	66.5	63.3		55.7				
Mammography screening (Age Adjustment Not Applicable)												
Report that they have ever had a CBE and mammogram (Women 40+)	Actual	64.7	67.2	71.9	71.8	73.1	72.6	77.7	78.1	77.9	78.0	
Income less than \$10,000	Actual	50.0	51.6	55.5	68.6	74.9	56.2	62.8	69.9	60.6	61.4	
Less than a high school education	Actual	49.3	50.2	57.3	59.5	55.9	61.2	61.6	66.4	66.7	70.8	
Women aged 70+ years of age	Actual	53.0	57.5	61.8	62.0	63.7	69.3	80.9	72.6	74.4	75.1	
Black women	Actual	59.4	49.8	62.3	61.1	67.1	63.7	67.8	71.2	69.4	69.6	
Report having a CBE and mammogram in past 2 years (Women 50+)	Actual	49.5	49.1	53.8	60.7	58.4	56.6	61.6	60.9	62.3	58.4	
Income less than \$10,000	Actual	32.6	37.8	38.3	60.4	45.6	40.0	45.7	52.6	44.1	39.6	
Less than a high school education	Actual	34.3	35.8	39.3	50.0	41.7	38.2	42.8	47.9	50.7	43.5	
Women aged 70+ years of age	Actual	38.9	45.5	49.0	50.7	47.7	49.8	57.7	53.5	53.7	50.0	
Black women	Actual	43.4	35.0	47.7	49.3	56.5	47.4	54.9	55.1	56.5	50.6	
Report having a screening mammogram within the past year (Women 50-59)	Actual	45.2	45.4	42.4	52.8	53.5	51.1	58.5	60.9	55.8	58.7	

Indicator	Rates	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
Report having a screening mammogram within the past 2 years (Women 50-59)	Actual	62.3	56.3	64.2	68.6	71.9	65.6	73.1	75.2	72.8	72.0
Report having screening mammogram within the past year (Women 60-69)	Actual	47.1	46.1	48.0	55.7	48.4	49.7	49.0	55.5	60.7	54.6
Report having a screening mammogram within the past 2 years (Women 60-69)	Actual	58.5	56.7	65.0	69.8	69.3	68.6	67.1	69.8	73.7	70.5
Pap smear screening											
Report that they have ever had a pap smear test	Actual	94.1	92.6	92.7	95.8	93.3	94.6	95.5	96.5	90.1	94.8
(Women 18+ years of age who have never had a hysterectomy)	Age Adjusted	93.3	93.1	92.5	95.8	93.7	95.1	95.2	96.7	90.7	94.8
Ironno loss than \$10,000	Actual	86.5	88.8	82.2	89.5	93.5	93.6	86.9	92.9	84.1	88.6
Income less than \$10,000	Age Adjusted	87.3	89.9	86.9	92.8	92.9	95.6	88.1	95.0	84.7	91.6
	Actual	83.5	85.5	88.3	90.9	85.7	87.8	86.8	94.9	86.7	90.1
Less than a high school education	Age Adjusted	85.8	90.3	92.1	94.0	90.5	92.1	87.3	96.3	88.2	91.0
Women aged 70+ years of age (Age Adjustment not Applicable)	Actual	79.6	80.9	79.3	82.1	86.8	85.0	85.6	91.9	82.1	87.2
Report that they have had a pap smear test	Actual	84.4	83.4	81.8	85.8	83.4	83.0	87.0	86.3	82.7	84.4
in the past 3 years (Women 18+ years of age who have never had a hysterectomy)	Age Adjusted	81.3	81.4	79.2	83.6	82.4	80.9	84.3	84.2	80.3	52.4
	Actual	72.9	75.2	65.5	73.4	77.5	70.7	68.1	79.1	72.5	68.4
Income less than \$10,000	Age Adjusted	73.1	81.4	69.6	78.1	75.4	70.0	68.6	76.8	72.4	73.0
	Actual	67.3	70.5	67.1	74.3	62.3	66.4	71.6	70.0	69.5	73.1
Less than a high school education	Age Adjusted	69.5	77.7	73.5	71.3	69.3	74.9	69.5	72.2	74.0	75.5
Women aged 70+ years of age (Age Adjustment Not Applicable)	Actual	58.7	51.7	50.2	55.1	63.9	52.6	75.5	64.4	46.1	52.9
Report that they have had pap smear test	Actual	51.6	87.1	86.8	89.5	86.5	87.4	89.5	89.3	86.4	85.1
in the past 3 years (Women 18-64)	Age Adjusted	70.3	71.2	70.2	73.9	71.7	71.5	72.4	73.4	70.7	71.0

Indicator	Rates	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
Colorectal cancer screening: Persons aged 50-	years of age (A	ge Adjı	ıstment	Not Ap	plicab	le)					
Report that they have ever had a sigmoidoscopy/proctoscopy exam	Actual		36.3		35.8		36.4		40.8	42.9	45.1
Report having a sigmoidoscopy or proctoscopy exam in the past year	Actual		12.5		10.0		12.5		13.4	13.4	13.1
Report having a sigmoidoscopy or proctoscopy exam in past 2 years	Actual		20.4		17.7		18.9		21.6	21.9	22.7
Report having had a sigmoidoscopy proctoscopy exam in past 5 years	Actual		27.3		25.1		27.0		31.9	33.4	35.6
Hypertension awareness											
Report being told by a health professional	Actual		29.8	29.5	34.3		35.0		31.4		33.4
that they have high blood pressure	Age Adjusted		30.2	29.9	34.6		33.8		31.7		33.6
Report having blood pressure taken by a	Actual		86.6	89.4	90.2		89.4				
health professional in the past year	Age Adjusted		86.6	89.2	90.1		89.3				
Report having pressure taken by a	Actual		92.0	95.6	95.6		96.0				
health professional in the past 2 years	Age Adjusted		92.0	95.5	95.5		96.0				
Report having blood pressure taken by a	Actual		95.9	98.0	97.9		98.3				
health professional in the past 5 years	Age Adjusted		95.5	97.9	97.9		98.3				

Indicator	Rates	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
Immunization											
Report having had a flu shot	Actual		26.3		28.6		31.3		29.2	30.6	33.1
within the past 12 months	Age Adjusted		26.1		23.2		30.6		29.0	30.7	32.8
Persons 65+ years of age (Age Adjustment Not Applicable)	Actual		57.0		61.1		62.9		61.8	63.0	69.0
Report that having had a pneumonia	Actual		15.0		18.2		17.0		21.2	19.9	24.6
vaccination	Age Adjusted		14.6		17.6		16.5		20.6	19.8	24.0
Persons aged 65+ years of age (Age Adjustment Not Applicable)	Actual		39.4		45.9		49.3		55.7	58.9	61.8
Health care access											
Report that they have	Actual	12.7	14.0	14.2	15.1	18.8	16.9	19.3	18.7	22.8	19.1
no kind of health care coverage	Age Adjusted	13.7	14.0	14.3	15.1	18.6	17.4	19.0	18.6	22.5	19.0
Report being unable to see doctor in past 12 months because of cost	Actual	16.1	14.8	15.0	15.3	15.6	14.4	16.2			18.5
	Age Adjusted	16.4	14.9	14.6	15.3	15.6	14.5	16.2			18.6